Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



10 B

Domestic wool: Monthly average prices at Boston, 1941
Scoured basis
(Cents per pound)

NAME OF TAXABLE PARTY.	-	NAME OF A	
U. S. Department of Agriculture	* DEC 3 1943 *	RECEIVED	LIBRARY

Av. (1941	Jan. Feb. Mar. Apr. May June July Aug. Sept. Oct. Nov.	Month
105.5	105.00	6μ's, 70' Fine combing (Staple)
95•7 85•3	101.775555555555555555555555555555555555	s, 80's Fine clothing
97.6 86.4	100.29 96.55 97.5 96.55 96.55 97.55 96.55 96.55 96.55	Semi-bright 58's,60's 1/2 blood combing
86.9 76.4	\$319366655509 8860065509	fleece 1/ 56's 3/8 blood combing
82.1 71.4	77.5 77.5 81.5 81.5 81.5 83.2 84.2	ug's,50's 1/4 blood combing
. 80.1 70.3	85.55 85.55 85.50	1/4 blood
108.5	109.8 107.5 107.5 107.1 107.5 106.7 106.7 109.4 112.5	64's, 70' Fine combing (Delaine)
99.0	99.1 97.5 97.5 97.5 97.5 97.5 101.5	s, 80's Fine
100.3	100, 5 99, 5 101, 8 101, 8	58's,60's 1/2 blood combing
88.3 77.3	95,296,83757	Bright fleece 56's '48' 3/8 blood 1/4 combing co
83.5 72.6	2888883335557	2/ s,50's blood mbing
81.0 71.9	888888877777 8655.0080525552	1/4 blood
78.5 68.0	000000000000000000000000000000000000000	36's, 40's this common and

^{1/} Wools that are somewhat dark in color and of moderately heavy shrinkage. Mearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas, and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa, and

Agricultural Marketing Service W. S. Department of Agriculture

^{2/} Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above other bright fleeces because of their lighter shrinkage.

.

Reserves

Domestic wool: Monthly average prices at Boston, 1941
Scoured basis
(Cents per pound)

* DEC 3 1943 *

RECEIVED RECEIVED

64's, 70's, 80's 58's, 60's 56's 56's 1/2 blood 1/2 blood 3/8 blood 3/8 blood 1/4 blood 1/4 blood 1/2 blood 1/2 blood 3/8 blood 3/8 blood 1/4 blood 1/4 blood 1/4 blood 1/2 mo.) (8 months) (Fall)					(cents per bound)			U.S. Department of Agricon
	**			Ţ	erritory 1/	:	Fine Texas 2/ (Origin	nal bags)
		64·s.	70's, 80'	's : 58's, 60's	: 56's : hg	18,50's 46's 36's, 40's	French	
		Fine combing staple)	Fine French		/2 blood 3/8 blood 3/8 blood 1/1 clothing combing clothing co	ombing 1/4 blood Common this	(12 mo.):(8 months) (1	Fall) -

Month .

Av-1940	Dec.	Nov.	Oct.	Sept.	Aug.	July	June	May	Apr.	Mar.	Feb.	Jan.	
108.8	115:5	112.5	109.5	108.1	107-0	107.0	107.0	107.0	107.6	108.5	107-5	108.1	(staple):
104.1	111.4	109.6	105.9	104.0	102.5	102.5	102.1	102.0	102.2	102.5	101.2	102.9	combing:
98.2	102.5	102.2	100.6	98.5	97-0	97.0	97-0	96.5	96.9	97-5	96.8	4.96	clothing.
103.1	109.0	107.8	104.9	103.0	102.0	101.9	101.5	101.5	101.9	100.6	100-4	102.7	(staple):
99.5	106.8	105.0	101.8	100.0	99.0	98.6	97.0	97.0	97.6	96.6	96.6	98.5	combing:
95.0 82.6	101.5	100.0	96.9	95.5	95.0	34.8	94.0	93.5	93.5	92.0	91.5	91.5	clothing.
91.2	96.8	96.2	95.0	92.4	4.06				4.68				combing .
86.9 75.4	93.0	93.0	91.8	89.8	88.0	87.8	87.0	84.2	83.5	82.0	81.5	81.5	clothing.
74.6 74.6	91.5	90.8	87.9	86.6	86.0	85.9	85.5	84.5	83.5	83.5	82.5	81.5	comoing
82.3 76.1	86.5	86.5	85.2	85.0	83.4	81.8	81.0	80.0	79.5	79.5	79.5	79.5	1/4 61000
80.0 72.8	85.0	85.0	85.0	85.0	83.0	79.2	78.0	76.0	76.0	76.0	76.0	76.0	and Braid:
106.7	112.3	110.5	107.7	106.0	105.2	106.6	107.0	106.8	106.1	106.0	103.2	102.5	
100.8	106.2	105.0	104-4	104.0	104-0	104.0	102.8	101.5	100.0		92.2	90.5	
89.8 71.3	98.5	98.5	98.5	98.5	1	1	1	83.5	83.5	83.5	82.2	81.5	

^{1/} Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain States, including Arizona, and New Mexico, and im the range areas of the Dakotas, Mebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

Agricultural Marketing Service T. S. Department of Agriculture